

	A	B	C	D
1	Nom instrument :		HiTemp140	
2	Description instrument :		Enregistreur de température	
3	Numéro de série :		S40212	
4	ID instrument :		MultiChannel	
5	Sauce à pizza pour tuer les vampires			
6			Voie 1	
7	Date	Heure	Température (°C)	F0 (min)
8	27/02/2025	12:46:17	54,04	
9	27/02/2025	12:47:17	55,04	0
10	27/02/2025	12:48:17	56,1	0
11	27/02/2025	12:49:17	57,27	0
12	27/02/2025	12:50:17	58,63	0
13	27/02/2025	12:51:17	60,19	0
14	27/02/2025	12:52:17	61,84	0
15	27/02/2025	12:53:17	63,53	0
16	27/02/2025	12:54:17	65,24	0
17	27/02/2025	12:55:17	66,96	0
18	27/02/2025	12:56:17	68,66	0
19	27/02/2025	12:57:17	70,33	0
20	27/02/2025	12:58:17	71,98	0
21	27/02/2025	12:59:17	73,6	0
22	27/02/2025	13:00:17	75,16	0
23	27/02/2025	13:01:17	76,67	0
24	27/02/2025	13:02:17	78,19	0
25	27/02/2025	13:03:17	79,7	0
26	27/02/2025	13:04:17	81,2	0
27	27/02/2025	13:05:17	82,73	0
28	27/02/2025	13:06:17	84,27	0
29	27/02/2025	13:07:17	85,85	0
30	27/02/2025	13:08:17	87,48	0
31	27/02/2025	13:09:17	89,09	0
32	27/02/2025	13:10:17	90,7	0
33	27/02/2025	13:11:17	92,27	0
34	27/02/2025	13:12:17	93,82	0
35	27/02/2025	13:13:17	95,33	0
36	27/02/2025	13:14:17	96,75	0
37	27/02/2025	13:15:17	98,14	0
38	27/02/2025	13:16:17	99,48	0
39	27/02/2025	13:17:17	100,71	0
40	27/02/2025	13:18:17	101,97	0,01
41	27/02/2025	13:19:17	103,07	0,02
42	27/02/2025	13:20:17	104,12	0,04
43	27/02/2025	13:21:17	105,11	0,06
44	27/02/2025	13:22:17	106,05	0,08
45	27/02/2025	13:23:17	106,94	0,11
46	27/02/2025	13:24:17	107,79	0,15

	A	B	C	D
1	Nom instrument :		HiTemp140	
2	Description instrument :		Enregistreur de température	
3	Numéro de série :		S40212	
4	ID instrument :		MultiChannel	
5	Sauce à pizza pour tuer les vampires			
6			Voie 1	
7	Date	Heure	Température (°C)	F0 (min)
47	27/02/2025	13:25:17	108,59	0,2
48	27/02/2025	13:26:17	109,33	0,25
49	27/02/2025	13:27:17	110,04	0,32
50	27/02/2025	13:28:17	110,7	0,4
51	27/02/2025	13:29:17	111,32	0,49
52	27/02/2025	13:30:17	111,91	0,59
53	27/02/2025	13:31:17	112,46	0,71
54	27/02/2025	13:32:17	112,96	0,85
55	27/02/2025	13:33:17	113,44	1
56	27/02/2025	13:34:17	113,9	1,18
57	27/02/2025	13:35:17	114,33	1,37
58	27/02/2025	13:36:17	114,74	1,58
59	27/02/2025	13:37:17	115,11	1,81
60	27/02/2025	13:38:17	115,46	2,06
61	27/02/2025	13:39:17	115,8	2,33
62	27/02/2025	13:40:17	116,12	2,62
63	27/02/2025	13:41:17	116,41	2,94
64	27/02/2025	13:42:17	116,68	3,28
65	27/02/2025	13:43:17	116,95	3,64
66	27/02/2025	13:44:17	117,2	4,02
67	27/02/2025	13:45:17	117,43	4,43
68	27/02/2025	13:46:17	117,65	4,86
69	27/02/2025	13:47:17	117,86	5,31
70	27/02/2025	13:48:17	118,04	5,78
71	27/02/2025	13:49:17	118,24	6,27
72	27/02/2025	13:50:17	118,42	6,79
73	27/02/2025	13:51:17	118,58	7,33
74	27/02/2025	13:52:17	118,74	7,89
75	27/02/2025	13:53:17	118,87	8,47
76	27/02/2025	13:54:17	119,01	9,06
77	27/02/2025	13:55:17	119,15	9,68
78	27/02/2025	13:56:17	119,28	10,32
79	27/02/2025	13:57:17	119,39	10,97
80	27/02/2025	13:58:17	119,49	11,65
81	27/02/2025	13:59:17	119,59	12,33
82	27/02/2025	14:00:17	119,7	13,04
83	27/02/2025	14:01:17	119,78	13,76
84	27/02/2025	14:02:17	119,87	14,5

	A	B	C	D
1	Nom instrument :		HiTemp140	
2	Description instrument :		Enregistreur de température	
3	Numéro de série :		S40212	
4	ID instrument :		MultiChannel	
5	Sauce à pizza pour tuer les vampires			
6			Voie 1	
7	Date	Heure	Température (°C)	F0 (min)
85	27/02/2025	14:03:17	119,95	15,25
86	27/02/2025	14:04:17	120,03	16,01
87	27/02/2025	14:05:17	120,11	16,79
88	27/02/2025	14:06:17	120,23	17,59
89	27/02/2025	14:07:17	120,26	18,4
90	27/02/2025	14:08:17	120,32	19,23
91	27/02/2025	14:09:17	120,37	20,06
92	27/02/2025	14:10:17	120,4	20,9
93	27/02/2025	14:11:17	120,45	21,75
94	27/02/2025	14:12:17	120,48	22,61
95	27/02/2025	14:13:17	120,51	23,48
96	27/02/2025	14:14:17	120,53	24,35
97	27/02/2025	14:15:17	120,57	25,22
98	27/02/2025	14:16:17	120,6	26,1
99	27/02/2025	14:17:17	120,62	26,99
100	27/02/2025	14:18:17	120,64	27,89
101	27/02/2025	14:19:17	120,67	28,78
102	27/02/2025	14:20:17	120,69	29,69
103	27/02/2025	14:21:17	120,71	30,59
104	27/02/2025	14:22:17	120,73	31,51
105	27/02/2025	14:23:17	120,75	32,42
106	27/02/2025	14:24:17	120,76	33,34
107	27/02/2025	14:25:17	120,77	34,26
108	27/02/2025	14:26:17	120,79	35,19
109	27/02/2025	14:27:17	120,8	36,12
110	27/02/2025	14:28:17	120,82	37,05
111	27/02/2025	14:29:17	120,83	37,98
112	27/02/2025	14:30:17	120,84	38,92
113	27/02/2025	14:31:17	120,84	39,86
114	27/02/2025	14:32:17	120,85	40,8
115	27/02/2025	14:33:17	120,85	41,74
116	27/02/2025	14:34:17	120,82	42,68
117	27/02/2025	14:35:17	120,76	43,6
118	27/02/2025	14:36:17	120,69	44,51
119	27/02/2025	14:37:17	120,56	45,39
120	27/02/2025	14:38:17	120,43	46,24
121	27/02/2025	14:39:17	120,2	47,05
122	27/02/2025	14:40:17	119,98	47,82

	A	B	C	D
1	Nom instrument :		HiTemp140	
2	Description instrument :		Enregistreur de température	
3	Numéro de série :		S40212	
4	ID instrument :		MultiChannel	
5	Sauce à pizza pour tuer les vampires			
6			Voie 1	
7	Date	Heure	Température (°C)	F0 (min)
123	27/02/2025	14:41:17	119,66	48,54
124	27/02/2025	14:42:17	119,27	49,19
125	27/02/2025	14:43:17	118,78	49,78
126	27/02/2025	14:44:17	118,24	50,29
127	27/02/2025	14:45:17	117,66	50,75
128	27/02/2025	14:46:17	117,08	51,14
129	27/02/2025	14:47:17	116,48	51,49
130	27/02/2025	14:48:17	115,86	51,78
131	27/02/2025	14:49:17	115,27	52,04
132	27/02/2025	14:50:17	114,66	52,27
133	27/02/2025	14:51:17	114,01	52,47
134	27/02/2025	14:52:17	113,36	52,63
135	27/02/2025	14:53:17	112,75	52,78
136	27/02/2025	14:54:17	112,16	52,91
137	27/02/2025	14:55:17	111,52	53,02
138	27/02/2025	14:56:17	110,92	53,11
139	27/02/2025	14:57:17	110,32	53,2
140	27/02/2025	14:58:17	109,74	53,27
141	27/02/2025	14:59:17	109,15	53,33
142	27/02/2025	15:00:17	108,57	53,39
143	27/02/2025	15:01:17	107,98	53,44
144	27/02/2025	15:02:17	107,4	53,48
145	27/02/2025	15:03:17	106,82	53,52
146	27/02/2025	15:04:17	106,26	53,55
147	27/02/2025	15:05:17	105,69	53,58
148	27/02/2025	15:06:17	105,08	53,6
149	27/02/2025	15:07:17	104,52	53,63
150	27/02/2025	15:08:17	103,99	53,64
151	27/02/2025	15:09:17	103,52	53,66
152	27/02/2025	15:10:17	103,06	53,68
153	27/02/2025	15:11:17	102,59	53,69
154	27/02/2025	15:12:17	102,15	53,7
155	27/02/2025	15:13:17	101,72	53,72
156	27/02/2025	15:14:17	101,27	53,73
157	27/02/2025	15:15:17	100,82	53,74
158	27/02/2025	15:16:17	100,42	53,74
159	27/02/2025	15:17:17	100,01	53,75
160	27/02/2025	15:18:17	99,62	53,75

	A	B	C	D
1	Nom instrument :		HiTemp140	
2	Description instrument :		Enregistreur de température	
3	Numéro de série :		S40212	
4	ID instrument :		MultiChannel	
5	Sauce à pizza pour tuer les vampires			
6			Voie 1	
7	Date	Heure	Température (°C)	F0 (min)
161	27/02/2025	15:19:17	99,19	53,75
162	27/02/2025	15:20:17	98,79	53,75
163	27/02/2025	15:21:17	98,37	53,75
164	27/02/2025	15:22:17	97,97	53,75
165	27/02/2025	15:23:17	97,58	53,75
166	27/02/2025	15:24:17	97,21	53,75
167	27/02/2025	15:25:17	96,82	53,75
168	27/02/2025	15:26:17	96,43	53,75
169	27/02/2025	15:27:17	96,04	53,75
170	27/02/2025	15:28:17	95,65	53,75
171	27/02/2025	15:29:17	95,3	53,75
172	27/02/2025	15:30:17	94,92	53,75
173	27/02/2025	15:31:17	94,55	53,75
174	27/02/2025	15:32:17	94,2	53,75
175	27/02/2025	15:33:17	93,85	53,75
176	27/02/2025	15:34:17	93,49	53,75
177	27/02/2025	15:35:17	93,11	53,75
178	27/02/2025	15:36:17	92,77	53,75
179	27/02/2025	15:37:17	92,4	53,75
180	27/02/2025	15:38:17	91,2	53,75
181	27/02/2025	15:39:17	88,38	53,75
182	27/02/2025	15:40:17	86,92	53,75
183	27/02/2025	15:41:17	85,45	53,75
184	27/02/2025	15:42:17	84,6	53,75
185	27/02/2025	15:43:17	83,71	53,75
186	27/02/2025	15:44:17	82,74	53,75
187	27/02/2025	15:45:17	81,67	53,75
188	27/02/2025	15:46:17	80,52	53,75
189	27/02/2025	15:47:17	79,23	53,75
190	27/02/2025	15:48:17	78,15	53,75
191	27/02/2025	15:49:17	77,35	53,75
192	27/02/2025	15:50:17	76,33	53,75
193	27/02/2025	15:51:17	75,64	53,75
194	27/02/2025	15:52:17	74,91	53,75
195	27/02/2025	15:53:17	74,21	53,75
196	27/02/2025	15:54:17	73,49	53,75
197	27/02/2025	15:55:17	72,65	53,75
198	27/02/2025	15:56:17	71,87	53,75

	A	B	C	D
1	Nom instrument :		HiTemp140	
2	Description instrument :		Enregistreur de température	
3	Numéro de série :		S40212	
4	ID instrument :		MultiChannel	
5	Sauce à pizza pour tuer les vampires			
6			Voie 1	
7	Date	Heure	Température (°C)	F0 (min)
199	27/02/2025	15:57:17	71,04	53,75
200	27/02/2025	15:58:17	70,4	53,75
201	27/02/2025	15:59:17	69,79	53,75
202	27/02/2025	16:00:17	69,01	53,75

	E
1	
2	
3	
4	
5	
6	Minutes au dessus de 116
7	
8	
9	
10	
11	
12	
13	
14	
15	
16	
17	
18	
19	
20	
21	
22	
23	
24	
25	
26	
27	Début de la stérilisation
28	
29	
30	
31	
32	
33	
34	
35	
36	
37	
38	
39	
40	
41	
42	
43	
44	
45	
46	

	E
1	
2	
3	
4	
5	
6	Minutes au dessus de 116
7	
47	
48	
49	
50	
51	
52	
53	
54	
55	
56	
57	
58	
59	
60	
61	
62	
63	1
64	2
65	3
66	4
67	5
68	6
69	7
70	8
71	9
72	10
73	11
74	12
75	13
76	14
77	15
78	16
79	17
80	18
81	19
82	20
83	21
84	22

	E
1	
2	
3	
4	
5	
6	Minutes au
7	dessus de 116
85	23
86	24
87	25
88	26
89	27
90	28
91	29
92	30
93	31
94	32
95	33
96	34
97	35
98	36
99	37
100	38
101	39
102	40
103	41
104	42
105	43
106	44
107	45
108	46
109	47
110	48
111	49
112	50
113	51
114	52
115	53
116	54
117	55
118	56
119	57
120	58
121	59
122	60

	E
1	
2	
3	
4	
5	
6	Minutes au
7	dessus de 116
123	61
124	62
125	63
126	64
127	65
128	66
129	67
130	
131	
132	
133	
134	
135	
136	
137	
138	
139	
140	
141	
142	
143	
144	
145	
146	
147	
148	
149	
150	
151	
152	
153	
154	
155	
156	
157	
158	
159	
160	

	E
1	
2	
3	
4	
5	
6	Minutes au dessus de 116
7	
161	
162	
163	
164	
165	
166	
167	
168	
169	
170	
171	
172	
173	
174	
175	
176	
177	
178	
179	
180	
181	
182	
183	
184	
185	
186	
187	
188	
189	
190	
191	
192	
193	
194	
195	
196	
197	
198	

	E
1	
2	
3	
4	
5	
6	Minutes au dessus de 116
7	
199	
200	
201	
202	